

SUPERCLOSET®

LED  
SUPERROOM



INSTRUCTION MANUAL






## WELCOME TO THE FAMILY

---

**Congratulations, and thank you for choosing SuperCloset.  
You now have the world's best grow room.**


These instructions will guide you through the process of setting up your **SuperRoom**. Please read through the **entire** instruction manual before you begin, including any and all instructions that come with the individual components.

Lets take a look at the layout and components of your SuperRoom.



Unpack the pallet and boxes that your SuperRoom came in and lay out in an organized pile.

Make sure that you have planned accordingly to ensure you have the proper amount of power and properly sized breakers going to your. Always consult a professional electrician when setting up and planning your electrical configuration.



# We are now ready to set up the SuperRoom

Make sure you assemble the tent in its final location, as it will be difficult to move when fully assembled. We will not be plugging in any of the components just yet. Let's get everything in place first.


## **SUPER GROW TIP:**

*Use masking tape and a marker to label the power cords of your components at the plug to help identify your components later in the assembly.*

**a**




**b**



## Gorilla Grow Tent set up



1. Assemble your Gorilla Grow Tent according to the manufactures included setup instructions (image a). Determine ahead of time if you are able to assemble as a standard 6' 11" tall tent, or if you are able to maximize your space and go with the 7' 11" tall configuration.
2. Once your tent is assembled, double check to make sure that all fittings are installed properly including your ceiling support poles (image b).





# Hanging Carbon Filter


1. Locate Carbon Filter (image a). Using the black straps (image b) included with the Gorilla Grow Tent, attach the filter to the ceiling support on the back wall of the tent (image c & d).
2. Locate the ducting and hose clamps included in your system. Slide the hose clamp over the ducting prior to attaching the ducting to the filter (image e). Attach one end of the ducting to the filter using the provided hose clamps and tighten for a snug fit (image f).
3. Feed the other end of the ducting through the nearest port hole (image h). Once the ducting is fed through the hole, use the double-cinching pulls to tighten the port around the ducting to prevent any light leaks.
4. Locate the inline fan included with your system (image g).
5. Slide the hose clamp on the the open end of the ducting and attach the ducting to the FLAT side of the fan (image i) and tighten for a snug fit (image j).



# Carbon Filter & Fan Diagram


*The Inline Fan will be pulling air from inside the tent, through the Carbon Filter, ensuring that your exhaust is free of odors and aromas.*

*Place the Inline Fan in a convenient area, out of the way or use the mounting bracket to attach it to a nearby wall.*



# Hanging your LED Light

1. Locate your Yo-Yo lighte hangers (image a).
2. Loop the carabiner end over the top support of the tent and clip it to itself (image b). Press the button on the side of the Yo-Yo hanger to adjust the height.
3. Unpack your KIND LED Grow Light(s).
4. Locate your Hanging Hardware Kit. Using the four (4) longer lengths of cable and the (4) small carabiners, (image c) connect one cable assembly to each of the brass hangers on the light (image d).
5. Place the Kind LED Light in the bottom of the tent. Lower the Yo-Yo system until you can connect the other ends of the cable assemblies to the Yo-Yo carabiners (image e). Raise the light to the desired height using the loose end of the Yo-Yo hanger cord.
6. Run the power cord from the LED light through the nearest electrical port hole.



# Thermometer/Hydrometer/ICF

1. Locate the Thermometer/Hydrometer (image f). Remove the battery cover and remove the plastic safety blocker from the battery terminal. You can be creative on where you would like this placed inside the tent, but the easiest placement is inside the tool pouch on the inside of the tent.
2. Run the external probe to the outside of the tent, through the nearest ducting port. Make sure the probe is not touching any surface on the outside of the tent as this will provide false readings.
3. Locate the Clip-On Active Air Fan (image g). Clip the fan to any one of the inside corner vertical poles. The fan is designed to provide circulation and air movement.




# Grow System set up

Thoroughly read and follow the instructions included with your chosen grow system. If you opted for the soil method, simply arrange the included pots in an orderly manner.

## Bubble Flow Buckets



## Super Flow



## Soil Pots

### NOTE:

*The Reservoir for the Bubble Flow Buckets is placed on the outside of the tent. This will help to keep the water at a desirable temperature and allow you access to the Reservoir without disturbing your grow environment. This arrangement may require notching small openings for your fill and drain lines to pass through the wall of the tent. For proper operation of the Bubble Flow Buckets, all drain lines must be completely level from the buckets to the Reservoir to ensure proper draining.*

*Make sure you have installed the spill tray included with your Gorilla Grow Tent prior to setting up the grow system in your tent*

